





PULLERS





GEAR PULLERS - HEAVY DUTY

Made of the highest quality drop forged
Chrome Vanadium steel for professional use



770134



770135

2 or 3 Jaw Combination Gear Pullers

- Assemble with 3 jaws for maximum stability, or with 2 jaws where access is limited – 2 pullers in 1
- Jaws, yokes and forcing screw made of heat treated Chrome Vanadium steel for ultimate strength
- Reversible jaw design allows internal and external pulling
- Jaws grip tighter as pulling force increases
- All components hardened to HRC 42~45 for professional use
- Fine-threaded 440 CrV forcing screw allows precise control for damage free pulling
- Can be used with bearing separators

| PROD. NO. | MOD. NO. | Reach | Spread | Capacity | Screw Length | Pitch | Jaw Thickness | Jaw Width |
|-----------|----------|---------------|---------------|----------|--------------|---------------|---------------|------------|
| 770132 | JGP-3HD | 3-1/4" | 4-3/4" | 2 tons | 4.9" | 3/8"-24 tpi | 1/8, 1/4" | 1/4, 7/16" |
| 770133 | JGP-4HD | 3-1/2" | 7" | 5 tons | 7" | 9/16"-20 tpi | 3/8, 3/4" | 1/4, 5/16" |
| 770134 | JGP-6HD | 5-1/2" | 7" | 5 tons | 7" | 9/16"-20 tpi | 1/4, 5/16" | 3/8, 3/4" |
| 770135 | JGP-8HD | 5-1/2" | 9-1/2" | 5 tons | 9" | 11/16"-18 tpi | 5/16, 11/32" | 7/8" |



Hydraulic Gear Puller Set

770152 / JHGP-10S

- Jaws, yokes, bearing separator and ram made of heat treated Chrome Vanadium steel for ultimate strength
- Hydraulic ram requires no power - develops up to 10 tons of pressure with hand power only
- All components hardened to HRC 42~45 for professional use
- Includes twin and triple heads for assembling 2 jaw and 3 jaw pullers
- Includes 4-1/2" bearing separator
- Comes in a convenient blow mould storage case

| Reach | Spread | Capacity | Pieces (total) |
|-------|--------|----------|----------------|
| 4" | 10" | 10 tons | 22 |

Contents: Hydraulic Ram (1), 4" Puller Legs (3), 6" Puller Legs (3), 8" Puller Legs (3), Collar (1), Twin Head (1) Triple Head (1), End Cap (1), 2" Ram Extension (1), Yoke (1), 4-1/2" Bearing Separator (1), Main Rods (2), Extension Rods (2)



770152

BEARING SEPARATORS - HEAVY DUTY

- Separator bodies made of heat treated Chrome Vanadium steel for maximum strength
- All components hardened to HRC 42~45 for professional use
- Separators have knife like edges to get behind bearings where regular gear puller jaws are too thick to grip
- Can be used with push or pull type gear pullers

12 Piece Set

770302 / JBS-12

| Maximum Reach | Capacity | Forcing Screw | Hole Size |
|---------------|----------|--------------------|---------------|
| 3" | 5 tons | 7", 9/16" x 10 tpi | 3/8" x 16 tpi |

Contents: 2-1/4" Bearing Separator (1), 3-1/2" Bearing Separator (1), Yoke (1), Forcing Screw (1), Main Rods (4), Extension Rods (4)



770302

Open Stock

| PROD. NO. | MOD. NO. | Capacity | Hole Size |
|-----------|----------|------------------|---------------|
| 770312 | JBS-225 | 1-3/16" - 2-1/4" | 3/8" x 16 tpi |
| 770313 | JBS-350 | 2-1/4" - 3-1/2" | 3/8" x 16 tpi |
| 770314 | JBS-450 | 3" - 4-1/2" | 1/2" x 16 tpi |



GEAR PULLERS

See page 291 in the Specialty Auto section for similar products



SPECIALTY PULLERS

JET carries a complete line of Specialty Automotive pullers for every need.



H3341



H1921



H1901



H1903



H1905



H3560



H3565



H3566



H3562